# **SAFETY DATA SHEET**

# **CATTLE MARKING FLUID/TAIL PAINT**

Infosafe No.: LQ26P ISSUED Date : 03/07/2023 ISSUED by: Cattle Colour Pty Ltd

#### Section 1 - Identification

### **Product Identifier**

CATTLE MARKING FLUID/TAIL PAINT

### **Company Name**

Cattle Colour Pty Ltd (ABN 910 7960 4825)

### **Address**

614 Stanley Street Albury NSW 2640 AUSTRALIA

### Telephone/Fax Number

Tel: 02 6021 5307 Fax: 02 6041 2604

## **Emergency Phone Number**

02 6021 5307

#### Recommended use of the chemical and restrictions on use

Cattle marking fluid.

### Section 2 - Hazard(s) Identification

### GHS classification of the substance/mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Flammable liquids: Category 3

### Signal Word (s)

WARNING

### **Hazard Statement (s)**

AUH066 Repeated exposure may cause skin dryness or cracking.

H226 Flammable liquid and vapour.

### Pictogram (s)

Flame



### **Precautionary Statement - Prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### **Precautionary Statement – Response**

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P370+P378 In case of fire: Use carbon dioxide, dry chemical or foam to extinguish.

#### Precautionary Statement -Storage

P403+P235 Store in a well-ventilated place. Keep cool.

### Precautionary Statement - Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

### Section 3 - Composition and Information on Ingredients

#### Ingredients

Name	CAS	Proportion
Kerosene	8008-20-6	10-20 %
Ingredients determined not to be hazardous		Balance

### **Section 4 - First Aid Measures**

#### Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

#### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

### **First Aid Facilities**

Eyewash and normal washroom facilities.

### **Advice to Doctor**

Treat symptomatically.

#### Other Information

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

### **Section 5 - Firefighting Measures**

#### Suitable Extinguishing Media

Use carbon dioxide, dry chemical or foam. Alcohol resistant foam is preferred. If not available normal foam can be used.

### **Unsuitable Extinguishing Media**

Water jet

### **Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

### Specific hazards arising from the chemical

Flammable liquid and vapour. Vapour/air mixtures may ignite explosively. Flashback along the vapour trail may occur. Runoff to sewer may create fire or explosion hazard.

### **Hazchem Code**

•3Y

#### **Decomposition Temperature**

Not available

#### Precautions in connection with Fire

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. In case of fire the product may be violently or explosively reactive. Use water spray to disperse vapours. This product should be prevented from entering drains and watercourses.

#### Section 6 - Accidental Release Measures

#### **Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

### **Section 7 - Handling and Storage**

#### **Precautions for Safe Handling**

Avoid contact with skin and eyes. Wear overalls, impervious gloves and safety glasses. Use in designated areas with local exhaust ventilation, away from sparks, flames and other ignition sources. Use approved flammable liquid storage containers in the work area. Prevent release of vapours and mists into workplace air. Keep containers tightly closed. Take precautionary measures against static discharges. Do not empty into drains. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands before eating, drinking, smoking or using the toilet facilities.

### Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area, out of direct sunlight, away from heat and ignition sources. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

### **Section 8 - Exposure Controls and Personal Protection**

### Occupational exposure limit values

No exposure standards have been established for the mixture. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.

### **Biological Monitoring**

No biological limits allocated.

### **Control Banding**

Not available

### **Engineering Controls**

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements. Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 60079.10.1 Explosive atmospheres - Classification of areas - Explosive gas atmospheres, for further information concerning ventilation requirements.

### **Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

#### **Eye and Face Protection**

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

#### **Hand Protection**

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

#### **Thermal Hazards**

No further relevant information available.

### **Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

## **Section 9 - Physical and Chemical Properties**

Properties	Description	Properties	Description
Form	Liquid	Appearance	Thick coloured fluid
Colour	Coloured	Odour	Mild
Melting Point	Not available	Boiling Point	150-240 °C
Decomposition Temperature	Not available	Solubility in Water	Insoluble
рН	Not applicable	Vapour Pressure	Not available
Relative Vapour Density (Air=1)	Not available	<b>Evaporation Rate</b>	Not available
Odour Threshold	Not available	Viscosity	Not available
Partition Coefficient: n-octanol/water (log value)	Not available	Density	Not available
Flash Point	47 °C	Flammability	Flammable
Auto-Ignition Temperature	Not available	Flammable Limits - Lower	Not available
Flammable Limits - Upper	Not available	Explosion Properties	Not available
Oxidising Properties	Not available	Particle Size	Not available

### Section 10 - Stability and Reactivity

### Reactivity

Reacts with incompatible materials.

### **Chemical Stability**

Stable under normal conditions of storage and handling.

### Possibility of hazardous reactions

Formation of explosive mixtures with air.

### **Conditions to Avoid**

Heat, open flames and other sources of ignition.

#### **Incompatible Materials**

Strong oxidising agents.

### **Hazardous Decomposition Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

### **Hazardous Polymerization**

Not available

### **Section 11 - Toxicological Information**

#### **Toxicology Information**

No toxicity data available for this material.

### Ingestion

Ingestion of this product may cause irritation to the mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea.

#### **Inhalation**

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

#### Skin

May be irritating to skin. The symptoms may include redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis.

#### Eve

May be irritating to eyes. The symptoms may include redness, itching and tearing.

#### **Respiratory Sensitisation**

Not expected to be a respiratory sensitiser.

### **Skin Sensitisation**

Not expected to be a skin sensitiser.

### **Germ Cell Mutagenicity**

Not considered to be a mutagenic hazard.

#### Carcinogenicity

Not considered to be a carcinogenic hazard.

### **Reproductive Toxicity**

Not considered to be toxic to reproduction.

### **STOT - Single Exposure**

Not expected to cause toxicity to a specific target organ.

### **STOT - Repeated Exposure**

Not expected to cause toxicity to a specific target organ.

### **Aspiration Hazard**

Not expected to be an aspiration hazard.

### **Section 12 - Ecological Information**

### **Ecotoxicity**

No ecological data available for this material.

### Persistence and degradability

Not available

### Mobility

Insoluble in water

### **Bioaccumulative Potential**

Not available

### **Other Adverse Effects**

Not available

### **Environmental Protection**

Do not discharge this material into waterways, drains and sewers.

### Hazardous to the Ozone Layer

This product is not expected to deplete the ozone layer.

### **Section 13 - Disposal Considerations**

#### **Disposal Considerations**

Dispose of waste according to applicable local and national regulations. Labels should not be removed from containers until they have been cleaned. Do not cut, puncture or weld on or near containers. Empty containers may contain flammable residues. Contaminated containers must not be treated as household waste. Containers should be cleaned by appropriate methods and then re-used or disposed of by landfill or incineration as appropriate. Do not incinerate closed containers. Advise flammable nature. To minimise personal exposure, refer to Section 8 - Exposure Controls and Personal Protection.

### **Section 14 - Transport Information**

### **Transport Information**

This material is a Class 3 - Flammable Liquid according to The Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Class 3 - Flammable Liquids are incompatible in a placard load with any of the following:

- Class 1: Explosives
- Division 2.1: Flammable Gases.

(Division 2.1 and Class 3 are incompatible in transport if both are in tanks or other receptacles with a capacity individually exceeding

- Division 2.3: Toxic Gases
- Division 4.2: Spontaneously Combustible Substances
- Division 5.1: Oxidising substances
- Division 5.2: Organic Peroxides
- Class 6: Toxic or Infectious Substances

(where the flammable liquid is nitromethane)

- Class 7: Radioactive materials unless specifically exempted

### Marine Transport (IMO/IMDG):

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by

Class/Division: 3 UN No: 1866

Proper Shipping Name: RESIN SOLUTION flammable

Packing Group: III EMS: F-E, S-E

Special Provisions: 223, 955

#### Air Transport (ICAO/IATA):

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Class/Division: 3 UN No: 1866

Proper Shipping Name: Resin solution

Packing Group: III

Packaging Instructions (cargo only): 366 Packaging Instructions (passenger & cargo): 355

Hazard Label: Flammable liquid

Special Provisions: A3 ADG U.N. Number

1866

### **ADG Proper Shipping Name**

**RESIN SOLUTION** 

### **ADG Transport Hazard Class**

### **ADG Packing Group**

Ш

#### **Hazchem Code**

•3Y

#### **IERG Number**

### **Special Precautions for User**

Not available

### **IMDG Marine pollutant**

### **Transport in Bulk**

Not available

### **Section 15 - Regulatory Information**

### **Regulatory Information**

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

#### **Poisons Schedule**

Not Scheduled

#### **Montreal Protocol**

Not listed

#### **Stockholm Convention**

Not listed

#### **Rotterdam Convention**

Not listed

### International Convention for the Prevention of Pollution from Ships (MARPOL)

Not available

### **Agricultural and Veterinary Chemicals Act 1994**

Not available

### **Basel Convention**

Not listed

### Section 16 - Any Other Relevant Information

### **Date of Preparation**

SDS reviewed: July 2023 Supersedes: February 2018

#### **Version Number**

3.0

#### **Literature References**

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Code of Practice for Supply Diversion into Illicit Drug Manufacture.

National Code of Practice for Chemicals of Security Concern.

Agricultural Compounds and Veterinary Chemicals Act.

International Agency for Research on Cancer (IARC) Monographs.

Montreal Protocol on Substances that Deplete the Ozone Layer.

Stockholm Convention on Persistent Organic Pollutants (POPs).

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal.

International Air Transport Association (IATA) Dangerous Goods Regulations.

International Maritime Dangerous Goods (IMDG) Code.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of Classification and Labelling of Chemicals (7th revised edition).

Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

### **END OF SDS**

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.